



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/656,114

09/08/2003

Yoshifumi Tanimoto

031004

7054

38834

7590

11/25/2008

WESTERMAN, HATTORI, DANIELS & ADRIAN, LLP  
1250 CONNECTICUT AVENUE, NW  
SUITE 700  
WASHINGTON, DC 20036

EXAMINER

ENGLAND, DAVID E

ART UNIT

PAPER NUMBER

2443

MAIL DATE

DELIVERY MODE

11/25/2008

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/656,114	<b>Applicant(s)</b> TANIMOTO, YOSHIFUMI	
	<b>Examiner</b> DAVID E. ENGLAND	<b>Art Unit</b> 2443	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 13 August 2008.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-13 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-13 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                     | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)          | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____  | 6) <input type="checkbox"/> Other: _____                          |

### **DETAILED ACTION**

1. Claims 1 – 13 are presented for examination.

#### ***Claim Rejections - 35 USC § 103***

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. **Claims 1, 3, 11, and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Murata, (Japanese Publication number 2001-186301) in view of Parsons et al., hereinafter referred to as Parsons (US patent 7031437).**

4. Regarding claims 1, 3, and 12:
5. Murata teaches a communication terminal device and method comprising:
6. means for accepting a screen file for displaying a configuration screen having a configuration data entry field (paragraph 0013 discloses an HTML file which shows the configuration setting information with an input screen, ¶ 0032 et seq.);
7. means for accepting configuration data for setting the prescribed apparatus in the configuration data entry field (paragraph 001 discloses a fax machine whose device settings can be changed remotely using a browser, in which the means, data entry field, and accepting unit which is the client all of which are additionally implied by these functions which are performed);

8. means for accepting information for specifying the prescribed apparatus intended to set the configuration data, as destination identification information (Since in paragraph 0005, the device settings are changed from a browser on the client, the device must have been specified and identified, and the unit to do this is the browser on the client, with the prescribed apparatus being the fax, and ¶ 0032 et seq.); and

9. means for transmitting the configuration data directly to the prescribed apparatus specified by only the destination identification information (paragraph 0005 discloses a client, which inherently has transmitting means, using a browser to change the device settings which must have been specified with a destination identification information in order to be sent from the client to the prescribed apparatus, and ¶ 0032 et seq.).

10. Murata discloses all the limitations as disclosed above except for from a means for storing data other than a prescribed apparatus and from other than a prescribed apparatus.

11. Parsons discloses from a means for storing data other than a prescribed apparatus, configuring an apparatus from other than the prescribed apparatus, and accepting a screen file from other than the prescribed apparatus. (Col 5, lines 57-65 discloses "It should be noted that the user may configure more than one device for receiving alerts, in which case the notification server 202 should include user interface functionality (e.g. an HTTP server for communicating with a user's browser via the LAN 108 or the Internet) for dynamically configuring or changing configurations of devices, and for allowing the user to select between the different devices, as well as the user's current indication of whether to receive alerts via any of the devices." The browser client is referred to as: "e.g. a PC, laptop, handheld or other wired device having

browser functionality for communicating with remote devices using conventional protocols such as HT-IP via the Internet." Col 4, lines 1-6. The prescribed apparatuses are wireless devices such as "one-way and two-way pagers, cell phones and PDAs." Col 4, lines 9- 10).

12. The general concept of storing information such as a web page on a server to configure a device through a client browser is well known in the art as illustrated by Parsons who discloses a configuration system involving networked apparatuses which has means for storing data in other than a prescribed apparatus and configuring and accepting screen files from other than a prescribed apparatus.

13. It would have been obvious for one of ordinary skill in the art at the time of the invention to modify Murata to include the use of storing data other than a prescribed apparatus, configuring an apparatus from other than the prescribed apparatus, and accepting a screen file from other than the prescribed apparatus in his advantageous method as taught by Parsons in order to conveniently configure devices with limited memory such as pagers and cell phones, with the use of a centralized server.

14. Murata and Parsons disclose the communication terminal device according to claim 3, wherein the destination accepting unit accepts an entry of a Uniform Resource Locator (URL) which can be acquired by the prescribed apparatus, and the transmission unit transmits the configuration data to the URL (paragraph 0006 discloses transmitting the device setting information displayed on a browser which has a URL and paragraph 0037 discloses the "MFT"

or multi functional peripheral device, reads the configuration data based on the specified URL).

**15. Claims 2 and 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Murata (JP publication number 2001-186301), and Parsons as applied to claim 1 and 3 and further in view of Bates et al (US patent number 6963901), hereinafter referred to as Bates.**

16. Regarding claims 2 and 9:

17. Murata and Parsons disclose all the limitations except for wherein the means for accepting the destination identification information accepts an entry of an electronic mail address of an electronic mail message which can be acquired by the prescribed apparatus, and the means for transmitting transmits the electronic mail message including the configuration data to the electronic mail address.

18. Bates teaches using email messages to transmit configuration data. (Bates discloses in Column 9, line 55-57 that an email message is transmitted that includes configuration information for a prescribed apparatus, which in Bate's invention is a browser program, and the email address is designated in the message, which is sent to the browser program, line 54, Column 9).

19. The general concept of providing email messages to provide configuration data is well known in the art as illustrated by Bates who discloses using email messages in a configuration

method and apparatus.

20. It would have been obvious for one of ordinary skill in the art at the time of the invention to modify Murata of his to include the use of an email message and address in his advantageous method as taught by Bates in order to "facilitate the configuration" as stated by Bates in Column 1, line 58.

**21. Claims 4 and 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Murata (JP publication number 2001-186301) and Parsons as applied to claims 1, 3 and 12 and further in view of Weghorst et al (US patent 6775559 B1), hereinafter referred to as Weghorst.**

22. Regarding claims 4 and 13:

23. Murata and Parsons disclose all the limitations of claims 4 and 13 except for:

24. a confirmation screen generation unit, which generates a confirmation screen for confirming the configuration data and/or the destination identification information • accepted by the configuration data accepting unit and/or the destination accepting unit.

25. Weghorst teaches a confirmation screen sent as a message to confirm the configuration data. (Weghorst uses a short message service that is sent as a screen file in text, which includes a checksum, which is used for configuration data confirmation, in addition to the configuration

data. Column 3, paragraphs 1, 2, and 4).

26. The general concept of providing a confirmation screen for confirming configuration data is well known in the art as illustrated by Weghorst who discloses a confirmation generation in a configuration method.

27. It would have been obvious for one of ordinary skill in the art at the time of the invention to modify Murata to include the use of a confirmation screen in his advantageous method as taught by Weghorst in order to provide for the "setting of the...parameters can also be accomplished in a remote-controlled manner" as stated by Weghorst in his abstract, last three of four lines.

**28. Claims 5 and 6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Murata (JP publication number 2001-186301) and Parsons as applied to claims 1 and 3, and further in view of Kley (US patent 6947977).**

29. Regarding claim 5:

30. Murata and Parsons discloses all the limitations of claim 5 except for wherein the screen file accepting unit accepts the screen file from a remote recording medium.

31. Kley teaches using a web server to send a screen file to a client, or screen file accepting unit. (Kley discloses a web server which provides screen files to a user unit which accepts the



screen file and in which the web server inherently has RAM which is a recording medium, Column 1, lines 40-49).

32. The general concept of providing a remote recording medium to send a screen file is well known in the art as illustrated by Kley who discloses a Web server in a system which sends screen files to clients to perform configuration of service requests (Column 1, lines 43-46).

33. It would have been obvious for one of ordinary skill in the art at the time of the invention to modify Murata to include the use of a remote recording medium in his advantageous method as taught by Kley in order to communicate web pages requested by the clients back to the requesting client systems as stated by Kley in Column 2, lines 4-5.

34. Regarding claim 6:

35. Murata discloses all the limitations except for wherein the screen file accepting unit accepts the screen file from other than the prescribed apparatus via a communication network.

36. Parsons teaches accepting the screen file from other than the prescribed apparatus via a communication network. (Col 5, lines 57-65 discloses "It should be noted that the user may configure more than one device for receiving alerts, in which case the notification server 202 should include user interface functionality (e.g. an HTTP server for communicating with a user's browser via the LAN 108 or the Internet) for dynamically configuring or changing

configurations of devices, and for allowing the user to select between the different devices, as well as the user's current indication of whether to receive alerts via any of the devices." The browser client is referred to as: "e.g. a PC, laptop, handheld or other wired device having browser functionality for communicating with remote devices using conventional protocols such as HTTP via the Internet." Col 4, lines 1-6. The prescribed apparatuses are wireless devices such as "one-way and two-way pagers, cell phones and PDAs." Col 4, lines 9- 10).

37. The general concept of providing accepting the screen file from other than the prescribed apparatus via a communication network is well known in the art as illustrated by Parsons which discloses accepting the screen file from other than the prescribed apparatus via a communication network. It would have been obvious for one of ordinary skill in the art at the time of the invention to modify Murata of his advantageous method as taught by Parsons in order to conveniently configure devices with limited memory such as pagers and cell phones, with the use of a centralized server.

38. Kley teaches using a network (title) which sends screen files from a web server to a communication device (Key discloses a web server, which store information provides screen files to a user accepting unit, the client computer, which accepts the file and uses a communication network Column 1, lines 40-49).

39. The general concept of providing a way to send a screen file via a communication network is well known in the art as illustrated by Kley who discloses a Web server in a system

which sends screen files to clients to perform configuration of service requests (Column1, lines 43-46).

It would have been obvious for one of ordinary skill in the art at the time of the invention to modify Murata to include the use of a remote recording medium in his advantageous method as taught by Kley in order to communicate web pages requested by the clients back to the requesting client systems as stated by Kley in Column 2, lines 4-5.

**40. Claim 7 is rejected under 35 U.S.C. 103(a) as being unpatentable over Murata and Parsons as applied to claim 3, and further in view of Harvey (US patent 7054924).**

41. Regarding claim 7:

42. Murata and Parsons disclose all the limitations of claim 7 except for wherein the screen file includes a default value in the configuration data entry field. (Harvey discloses a screen file in Figure 4 and discloses that "the default IP address value is 0.0.0.0. which means the user must enter a value. Column 12, lines 55-57).

43. The general concept of providing a default value for a configuration method and apparatus is well known in the art as illustrated by Harvey who discloses a default value in a configuration data entry field.

44. It would have been obvious for one of ordinary skill in the art at the time of the invention to modify Murata to include the use of a default value in his advantageous method as taught by

Harvey in order to provide for "carrying out network device...configuration, and communication of other information to a network device, automatically and in an assured manner" as stated by Harvey in his abstract, lines 1-4.

**45. Claim 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over Murata (JP publication number 2001-186301) and Parsons as applied to claim 3 and further in view of Fields et al (US patent 6412008 B1).**

46. Regarding claim 8:

47. Murata and Parsons disclose all the limitations of claim 8 except for: a user specifying unit which specifies a user; and a customize unit which customizes the screen file in accordance with a result of the specification.

48. Fields teaches customizing screen files after specification of the user. (When the client requests the screen file, the server determines the user characteristics to customize the screen file. Abstract, lines 3-6 and 9-11, and title).

49. The general concept of customizing a screen file according to user characteristics is well known in the art as illustrated by Fields who discloses screen file customization in a screen file method and system.

50. It would have been obvious for one of ordinary skill in the art at the time of the invention to modify Murata to include the use of customization based on user o information in his advantageous method as taught by Fields in order to customize and display a network file as stated by Fields in his abstract, lines 1-2.

**51. Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over Murata and Parsons as applied to claim 3, in view of Bates, as applied to claim 9, and further in view of Harrison (US patent number 6434502).**

52. Regarding claim 10:

53. Murata and Parsons disclose all the limitations of claim 10 except for wherein the electronic mail address is an electronic mail address exclusive for maintenance.

54. Bates discloses that an email message is used for re-configuring, thus. using an email address for maintenance, title, and abstract, last two lines.

55. The general concept of providing an email address for maintenance of configuration is well known in the art as illustrated by Bates who discloses an email message with an address in a reconfiguration method and apparatus.

56. It would have been obvious for one of ordinary skill in the art at the time of the invention to modify Bates to include the use of an email address for configuration maintenance in his

advantageous method as taught by Bates in order to "facilitate the configuration" as stated by Bates in Column 1, line 59.

57. Harrison teaches using a dedicated email address for updating information. (Harrison discloses using a dedicated or exclusive email address for the updating of information, Column 1, line 51-51, and Column 1, lines 8-9.)

58. The general concept of providing an exclusive email address is well known in the art as illustrated by Harrison who discloses a dedicated email address in an information updating system. It would have been obvious for one of ordinary skill in the art at the time of the invention to modify Murata to include the use of an exclusive email address in his advantageous method as taught by Harrison in order to "send update..., information" as stated by Harrison in his abstract, diagram block 80.

### ***Response to Arguments***

59. Applicant's arguments filed 03/13/2008 have been fully considered but they are not persuasive.

60. **In the Remarks**, Applicant argues in substance that the prior art of Murata does not teach means for transmitting the configuration data directly to the prescribed apparatus based upon only the specified destination identification information. Applicant further goes to state that

in paragraphs [0004]-[0005] teaches that client machine and the MFP are “pre-arranged” within a LAN and as such it is clear to one of skill in the art that the configuration of Murata relies on previously entered destination information to identify the MFP by the client machine.

61. As to this remark, the Examiner does not see how a device being "pre-arranged" within a LAN would prevent the prior art from performing the steps of the claimed invention. If the Applicant were to draw their attention to the cited areas of Murata that are stated above, i.e., ¶ 0013, 0032 et seq., one can see that the HTML file is used to input configuration type information, or as claimed, destination identification information, it should be noted that the Applicant's specification defines destination identification information as configuration information in ¶ 0018 of their publication. The prior art utilizes a server to provide the input screen for the device configurations which is one of the embodiments of the Applicant's invention as stated in the Applicant's specification ¶ 0020, “*The screen file can be stored in a first file server 20 which is connected to the LAN 12.*”. Examiner does not see how this is not the same as the limitation argued by the Applicant, more specifically:

62. means for transmitting = devices in the LAN,

63. the configuration data directly to the prescribed apparatus = the HTML form which has configuration data entered into it and stored on a server which can be the MFT, see ¶ 0032 et seq.,

64. specified only by the destination identification information = the configuration information is the same as the destination identification information as defined by the Applicant's specification.

65. **In the Remarks**, Applicant argues in substance that Parsons does not teach means for storing data other than the prescribed apparatus and accepting a screen file from other than the prescribed apparatus. Also, that Parsons does not teach or suggest that the wireless devices are directly configured from a user interface.

66. As to this Remark, Applicant is asked to draw their attention to their own remarks that state, "As discussed therein, the user information store 204 may be updated by user interface functionality with information related to the wireless devices for contact by the notification server 202.", "Parsons only teaches that storage of information for configuration of a modification server 202 is accessible from a user interface". Now the claim language does not state what is suppose to be "directly communicated" to the prescribed apparatus. Therefore, it can be interpreted that the server and the wireless device directly communicate to each other since it is the server that can be considered the "communication terminal device". The claim does not state that a user could not interface with a server and that it is the server that is the center point of the communication and storage of information. Therefore, the prior art reads on this interpretation of the claim language since it is the server that directly sends the information to the wireless device, as pointed out by the Applicant in their arguments.

67. Applicant addresses the other rejections in the same light as their main arguments and therefore the Examiner also addresses that the prior art still teaches the claimed invention.



68. **Applicant is invited to contact the Examiner if they feel that there are issues and claim language that can be agreed upon, if an amendment is to be sent.**

***Conclusion***

69. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to DAVID E. ENGLAND whose telephone number is (571)272-3912. The examiner can normally be reached on Mon-Thur, 7:00-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tonia Dollinger can be reached on 571-272-4170. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

David E. England  
Examiner  
Art Unit 2443

/David E. England/  
Examiner, Art Unit 2443